

NEW

Uniclass L74 735	EPIC K712
CI/Sfb (62X) (63) X	

SheerCFX[®]


Exclusively designed
Flat Plates with Concealed Fixing



Hamilton making connections beautifully...




Hamilton Sheer CFX® Concealed Fixing



Description

Rocker Switches



- 1 gang 2 Way 10AX Rocker
- 2 gang 2 Way 10AX Rocker
- 3 gang 2 Way 10AX Rocker
- 4 gang 2 Way 10AX Rocker
- 6 gang 2 Way 10AX Rocker
- 1 gang Intermediate 10AX Rocker
- 2 gang Intermediate 10AX Rocker
- 1 gang 2 Way 10AX PTM Retractive Rocker
- 1 gang 10AX Triple Pole Rocker
- 1 gang 2 Way 20AX Rocker
- 2 gang 2 Way 20AX Rocker
- 3 gang 2 Way 20AX Rocker
- 4 gang 2 Way 20AX Rocker
- 1 gang Intermediate 20AX Rocker
- 2 gang Intermediate 20AX Rocker

Nominal Plate Size mm	Min. Wall Box Depth mm
-----------------------	------------------------

86 x 86	25
86 x 86	25
86 x 86	25
145 x 86	25
145 x 86	25
86 x 86	25
86 x 86	25
86 x 86	25
86 x 86	25
86 x 86	25
86 x 86	25
145 x 86	25
145 x 86	25
86 x 86	25
86 x 86	25


Dolly Switches



- 1 gang 2 Way 20AX Dolly
- 2 gang 2 Way 20AX Dolly
- 3 gang 2 Way 20AX Dolly
- 4 gang 2 Way 20AX Dolly
- 1 gang 20AX Intermediate Dolly

86 x 86	35
86 x 86	35
145 x 86	35
145 x 86	35
86 x 86	35


Key Switch



- 1 gang 2 Way 20AX Key Switch
- 1 gang 2 Way 20AX Key Switch Printed "EMG LTG TEST"

86 x 86	25
86 x 86	25


Sockets



- 1 gang 13A Double Pole Switched Socket
- 2 gang 13A Double Pole Switched Socket
- 1 gang 2A Unswitched Socket
- 1 gang 5A Unswitched Socket
- Shaver Socket (Dual Voltage)

86 x 86	35
145 x 86	35
86 x 86	35
86 x 86	35
86 x 145	47

Television Coaxial Sockets



- 1 gang Non Isolated Television 1in/1out
- 2 gang Isolated TV/FM 1in/2 out
- 1 gang Isolated Television 1 in/1 out
- 1 gang TV + 1 gang Satellite
- 1 gang Non Isolated Satellite
- 1 gang Isolated Satellite

86 x 86	25
86 x 86	25
86 x 86	25
86 x 86	35
86 x 86	35
86 x 86	35

Digital Television Sockets - Screened Non Isolated



- 1 gang TV + 1 gang FM + 1 gang Satellite
- 1 gang TV + 1 gang Satellite 1 + 1 gang Satellite 2 + 1 gang FM + 1 gang TCS + 1 gang TVF
- 1 gang TV + 1 gang Satellite 1 + 1 gang Satellite 2 + 1 gang FM
- 1 gang TV (Female)
- 1 gang TV (Male)
- 1 gang Satellite 'F' Type

86 x 86	35
145 x 86	35
86 x 86	35
86 x 86	35
86 x 86	35
86 x 86	35

Telephone & Data Outlets



- 1 gang Telephone Master
- 1 gang Telephone Slave
- 1 gang RJ12 Outlet - Unshielded
- 2 gang RJ12 Outlet - Unshielded
- 1 gang RJ45 Outlet CAT 5E - Unshielded
- 2 gang RJ45 Outlet CAT 5E - Unshielded

86 x 86	25
86 x 86	25
86 x 86	35
86 x 86	35
86 x 86	35
86 x 86	35


Double Pole Switches



- 1 gang 20A Double Pole Rocker + Neon
- 1 gang 45A Double Pole Red Rocker + Neon
- 1 gang 45A Double Pole Red Rocker + Neon + 13A Switched Socket

86 x 86	25
86 x 86	35
145 x 86	35


Connection Units



- 1 gang 13A Fused Spur, Double Pole + Neon
- 1 gang 13A Fuse + Red Neon Halo

86 x 86	35
86 x 86	35

Push On/Off Resistive Dimmers




Note: When using Mains Voltage Halogen Lamps - Dimmers should be de-rated by 25%

- 1 gang 2 way 400W
- 2 gang 2 way 400W
- 3 gang 2 way 400W
- 4 gang 2 way 300W (Max. wattage per gang 300 watts)
- 1 gang 2 way 600W
- 1 gang 2 way 1000W

86 x 86	35
86 x 86	35
145 x 86	35
145 x 86	35
86 x 86	35
145 x 86	35

Push On/Off Inductive Dimmers



- 1 gang 2 way 200VA
- 1 gang 2 way 300VA






86 x 86	35
86 x 86	35



Blanking Plates



- Single Blank Plate
- Double Blank Plate

86 x 86	35
145 x 86	35

British Standard	Bright Chrome		Polished Brass		Satin Br
	Bright Chrome/ White Inserts	Bright Chrome/ Black Inserts	Polished Brass/ Black Inserts	Polished Brass/ White Inserts	Satin Brass/ Black Inserts
					
	Order Code	Order Code	Order Code	Order Code	Order Code
BS EN 60669-1	87C R21 BC/WH*	87C R21 BC/BL*	81C R21 PB/BL*	81C R21 PB/WH*	82C R21 SB/BL*
BS EN 60669-1	87C R22 BC/WH*	87C R22 BC/BL*	81C R22 PB/BL*	81C R22 PB/WH*	82C R22 SB/BL*
BS EN 60669-1	87C R23 BC/WH*	87C R23 BC/BL*	81C R23 PB/BL*	81C R23 PB/WH*	82C R23 SB/BL*
BS EN 60669-1	87C R24 BC/WH*	87C R24 BC/BL*	81C R24 PB/BL*	81C R24 PB/WH*	82C R24 SB/BL*
BS EN 60669-1	87C R26 BC/WH*	87C R26 BC/BL*	81C R26 PB/BL*	81C R26 PB/WH*	82C R26 SB/BL*
BS EN 60669-1	87C R31 BC/WH*	87C R31 BC/BL*	81C R31 PB/BL*	81C R31 PB/WH*	82C R31 SB/BL*
BS EN 60669-1	87C R32 BC/WH*	87C R32 BC/BL*	81C R32 PB/BL*	81C R32 PB/WH*	82C R32 SB/BL*
BS EN 60669-1	87C BCP BC/WH*	87C BCP BC/BL*	81C BCP PB/BL*	81C BCP PB/WH*	82C BCP SB/BL*
BS EN 60669-1	87C TP WH	87C TP BL	81C TP BL	81C TP WH	82C TP BL
BS EN 60669-1	87C R21/20 BC/WH*	87C R21/20 BC/BL*	81C R21/20 PB/BL*	81C R21/20 PB/WH*	82C R21/20 SB/BL*
BS EN 60669-1	87C R22/20 BC/WH*	87C R22/20 BC/BL*	81C R22/20 PB/BL*	81C R22/20 PB/WH*	82C R22/20 SB/BL*
BS EN 60669-1	87C R23/20 BC/WH*	87C R23/20 BC/BL*	81C R23/20 PB/BL*	81C R23/20 PB/WH*	82C R23/20 SB/BL*
BS EN 60669-1	87C R24/20 BC/WH*	87C R24/20 BC/BL*	81C R24/20 PB/BL*	81C R24/20 PB/WH*	82C R24/20 SB/BL*
BS EN 60669-1	87C R31/20 BC/WH*	87C R31/20 BC/BL*	81C R31/20 PB/BL*	81C R31/20 PB/WH*	82C R31/20 SB/BL*
BS EN 60669-1	87C R32/20 BC/WH*	87C R32/20 BC/BL*	81C R32/20 PB/BL*	81C R32/20 PB/WH*	82C R32/20 SB/BL*
BS EN 60669-1		87C S21		81C S21	82C S21
BS EN 60669-1		87C S22		81C S22	82C S22
BS EN 60669-1		87C S23		81C S23	82C S23
BS EN 60669-1		87C S24		81C S24	82C S24
BS EN 60669-1		87C S31		81C S31	82C S31
BS EN 60669-1	87C K21 WH	87C K21 BL	81C K21 BL	81C K21 WH	82C K21 BL
BS EN 60669-1	87C K21ELT WH	87C K21ELT BL	81C K21ELT BL	81C K21ELT WH	82C K21ELT BL
BS 1363	87C SS1 BC/WH*	87C SS1 BC/BL*	81C SS1 PB/BL*	81C SS1 PB/WH*	82C SS1 SB/BL*
BS 1363	87C SS2 BC/WH*	87C SS2 BC/BL*	81C SS2 PB/BL*	81C SS2 PB/WH*	82C SS2 SB/BL*
BS 546	87C US2 WH	87C US2 BL	81C US2 BL	81C US2 WH	82C US2 BL
BS 546	87C US5 WH	87C US5 BL	81C US5 BL	81C US5 WH	82C US5 BL
BS 4573	87C SHS WH	87C SHS BL	81C SHS BL	81C SHS WH	82C SHS BL
	87C TV WH	87C TV BL	81C TV BL	81C TV WH	82C TV BL
	87C TVFM WH	87C TVFM BL	81C TVFM BL	81C TVFM WH	82C TVFM BL
	87C TVI WH	87C TVI BL	81C TVI BL	81C TVI WH	82C TVI BL
	87C TV+SAT WH	87C TV+SAT BL	81C TV+SAT BL	81C TV+SAT WH	82C TV+SAT BL
	87C SAT WH	87C SAT BL	81C SAT BL	81C SAT WH	82C SAT BL
	87C SATI WH	87C SATI BL	81C SATI BL	81C C SATI WH	82C SATI BL
	87C DGTRI WH	87C DGTRI BL	81C DGTRI BL	81C DGTRI WH	82C DGTRI BL
	87C DGENT+TVF+TCS WH	87C DGENT+TVF+TCS BL	81C DGENT+TVF+TCS BL	81C DGENT+TVF+TCS WH	82C DGENT+TVF+TCS BL
	87C DGENT WH	87C DGENT BL	81C DGENT BL	81C DGENT WH	82C DGENT BL
	87C DGTVF WH	87C DGTVF BL	81C DGTVF BL	81C DGTVF WH	82C DGTVF BL
	87C DGTVM WH	87C DGTVM BL	81C DGTVM BL	81C DGTVM WH	82C DGTVM BL
	87C DGSAT WH	87C DGSAT BL	81C DGSAT BL	81C DGSAT WH	82C DGSAT BL
	87C TCM WH	87C TCM BL	81C TCM BL	81CTCM WH	82C TCM BL
	87C TCS WH	87C TCS BL	81C TCS BL	81C TCS WH	82C TCS BL
	87C RJ12 WH	87C RJ12 BL	81C RJ12 BL	81C RJ12 WH	82C RJ12 BL
	87C RJ12/2 WH	87C RJ12/2 BL	81C RJ12/2 BL	81C RJ12/2 WH	82C RJ12/2 BL
	87C RJ45 WH	87C RJ45 BL	81C RJ45 BL	81C RJ45 WH	82C RJ45 BL
	87C RJ45/2 WH	87C RJ45/2 BL	81C RJ45/2 BL	81C RJ45/2 WH	82C RJ45/2 BL
BS EN 60669-1	87C DPN BC/WH*	87C DPN BC/BL*	81C DPN PB/BL*	81C DPN PB/WH*	82C DPN SB/BL*
BS EN 60669-1	87C 45DPN WH	87C 45DPN BL	81C 45DPN BL	81C 45DPN WH	82C 45DPN BL
BS 4177	87C 45DPNSS1 BC/WH*	87C 45DPNSS1 BC/BL*	81C 45DPNSS1 PB/BL*	81C 45DPNSS1 PB/WH*	82C 45DPNSS1 SB/BL*
BS 1363	87C SPN BC/WH*	87C SPN BC/BL*	81C SPN PB/BL*	81C SPN PB/WH*	82C SPN SB/BL*
BS 5733		87C FN BC		81C FN PB	82C FN S
BS EN 60669-2-1		87C P1X400		81C P1X400	82C P1X4
BS EN 60669-2-1		87C P2X400		81C P2X400	82C P2X4
BS EN 60669-2-1		87C P3X400		81C P3X400	82C P3X4
BS EN 60669-2-1		87C P4X400		81C P4X400	82C P4X4
BS 5518		87C P1X600		81C P1X600	82C P1X6
		87C P1X1000		81C P1X1000	82C P1X1
		87C P1X200VA		81C P1X200VA	82C P1X2
		87C P1X300VA		81C P1X300VA	82C P1X3
		87C BPS		81C BPS	82C BPS
		87C BPD		81C BPD	82C BPD

Satin Brass		Antique Brass		Satin Stainless Finish		Black Nickel	
Satin Brass/ Black Inserts	Satin Brass/ White Inserts	Antique Brass/ Black Inserts		Satin Stainless Finish/ White Inserts	Satin Stainless Finish/ Black Inserts	Black Nickel/ Black Inserts	
							
Order Code	Order Code	Order Code		Order Code	Order Code	Order Code	
82C R21 SB/BL*	82C R21 SB/WH*	89C R21 AB/BL*		84C R21 SS/WH*	84C R21 SS/BL*	88C R21 BK/BL*	
82C R22 SB/BL*	82C R22 SB/WH*	89C R22 AB/BL*		84C R22 SS/WH*	84C R22 SS/BL*	88C R22 BK/BL*	
82C R23 SB/BL*	82C R23 SB/WH*	89C R23 AB/BL*		84C R23 SS/WH*	84C R23 SS/BL*	88C R23 BK/BL*	
82C R24 SB/BL*	82C R24 SB/WH*	89C R24 AB/BL*		84C R24 SS/WH*	84C R24 SS/BL*	88C R24 BK/BL*	
82C R26 SB/BL*	82C R26 SB/WH*	89C R26 AB/BL*		84C R26 SS/WH*	84C R26 SS/BL*	88C R26 BK/BL*	
82C R31 SB/BL*	82C R31 SB/WH*	89C R31 AB/BL*		84C R31 SS/WH*	84C R31 SS/BL*	88C R31 BK/BL*	
82C R32 SB/BL*	82C R32 SB/WH*	89C R32 AB/BL*		84C R32 SS/WH*	84C R32 SS/BL*	88C R32 BK/BL*	
82C BCP SB/BL*	82C BCP SB/WH*	89C BCP AB/BL*		84C BCP SS/WH*	84C BCP SS/BL*	88C BCP BK/BL*	
82C TP BL	82C TP WH	89C TP BL		84C TP WH	84C TP BL	88C TP BL	
82C R21/20 SB/BL*	82C R21/20 SB/WH*	89C R21/20 AB/BL*		84C R21/20 SS/WH*	84C R21/20 SS/BL*	88C R21/20 BK/BL*	
82C R22/20 SB/BL*	82C R22/20 SB/WH*	89C R22/20 AB/BL*		84C R22/20 SS/WH*	84C R22/20 SS/BL*	88C R22/20 BK/BL*	
82C R23/20 SB/BL*	82C R23/20 SB/WH*	89C R23/20 AB/BL*		84C R23/20 SS/WH*	84C R23/20 SS/BL*	88C R23/20 BK/BL*	
82C R24/20 SB/BL*	82C R24/20 SB/WH*	89C R24/20 AB/BL*		84C R24/20 SS/WH*	84C R24/20 SS/BL*	88C R24/20 BK/BL*	
82C R31/20 SB/BL*	82C R31/20 SB/WH*	89C R31/20 AB/BL*		84C R31/20 SS/WH*	84C R31/20 SS/BL*	88C R31/20 BK/BL*	
82C R32/20 SB/BL*	82C R32/20 SB/WH*	89C R32/20 AB/BL*		84C R32/20 SS/WH*	84C R32/20 SS/BL*	88C R32/20 BK/BL*	
	82C S21	89C S21		84C S21	84C S21	88C S21	
	82C S22	89C S22		84C S22	84C S22	88C S22	
	82C S23	89C S23		84C S23	84C S23	88C S23	
	82C S24	89C S24		84C S24	84C S24	88C S24	
	82C S31	89C S31		84C S31	84C S31	88C S31	
82C K21 BL	82C K21 WH	89C K21 BL		84C K21 WH	84C K21 BL	88C K21 BL	
82C K21ELT BL	82C K21ELT WH	89C K21ELT BL		84C K21ELT WH	84C K21ELT BL	88C K21ELT BL	
82C SS1 SB/BL*	82C SS1 SB/WH*	89C SS1 AB/BL*		84C SS1 SS/WH*	84C SS1 SS/BL*	88C SS1 BK/BL*	
82C SS2 SB/BL*	82C SS2 SB/WH*	89C SS2 AB/BL*		84C SS2 SS/WH*	84C SS2 SS/BL*	88C SS2 BK/BL*	
82C US2 BL	82C US2 WH	89C US2 BL		84C US2 WH	84C US2 BL	88C US2 BL	
82C US5 BL	82C US5 WH	89C US5 BL		84C US5 WH	84C US5 BL	88C US5 BL	
82C SHS BL	82C SHS WH	89C SHS BL		84C SHS WH	84C SHS BL	88C SHS BL	
82C TV BL	82C TV WH	89C TV BL		84C TV WH	84C TV BL	88C TV BL	
82C TVFM BL	82C TVFM WH	89C TVFM BL		84C TVFM WH	84C TVFM BL	88C TVFM BL	
82C TVI BL	82C TVI WH	89C TVI BL		84C TVI WH	84C TVI BL	88C TVI BL	
82C TV+SAT BL	82C TV+SAT WH	89C TV+SAT BL		84C TV+SAT WH	84C TV+SAT BL	88C TV+SAT BL	
82C SAT BL	82C SAT WH	89C SAT BL		84C SAT WH	84C SAT BL	88C SAT BL	
82C SATI BL	82C SATI WH	89C SATI BL		84C SATI WH	84C SATI BL	88C SATI BL	
82C DGTRI BL	82C DGTRI WH	89C DGTRI BL		84C DGTRI WH	84C DGTRI BL	88C DGTRI BL	
82C DGENT+TVF+TCS BL	82C DGENT+TVF+TCS WH	89C DGENT+TVF+TCS BL		84C DGENT+TVF+TCS WH	84C DGENT+TVF+TCS BL	88C DGENT+TVF+TCS BL	
82C DGENT BL	82C DGENT WH	89C DGENT BL		84C DGENT WH	84C DGENT BL	88C DGENT BL	
82C DGTVF BL	82C DGTVF WH	89C DGTVF BL		84C DGTVF WH	84C DGTVF BL	88C DGTVF BL	
82C DGTVM BL	82C DGTVM WH	89C DGTVM BL		84C DGTVM WH	84C DGTVM BL	88C DGTVM BL	
82C DGSAT BL	82C DGSAT WH	89C DGSAT BL		84C DGSAT WH	84C DGSAT BL	88C DGSAT BL	
82C TCM BL	82C TCM WH	89C TCM BL		84C TCM WH	84C TCM BL	88C TCM BL	
82C TCS BL	82C TCS WH	89C TCS BL		84C TCS WH	84C TCS BL	88C TCS BL	
82C RJ12 BL	82C RJ12 WH	89C RJ12 BL		84C RJ12 WH	84C RJ12 BL	88C RJ12 BL	
82C RJ12/2 BL	82C RJ12/2 WH	89C RJ12/2 BL		84C RJ12/2 WH	84C RJ12/2 BL	88C RJ12/2 BL	
82C RJ45 BL	82C RJ45 WH	89C RJ45 BL		84C RJ45 WH	84C RJ45 BL	88C RJ45 BL	
82C RJ45/2 BL	82C RJ45/2 WH	89C RJ45/2 BL		84C RJ45/2 WH	84C RJ45/2 BL	88C RJ45/2 BL	
82C DPN SB/BL*	82C DPN SB/WH*	89C DPN AB/BL*		84C DPN SS/WH*	84C DPN SS/BL*	88C DPN BK/BL*	
82C 45DPN BL	82C 45DPN WH	89C 45DPN BL		84C 45DPN WH	84C 45DPN BL	88C 45DPN BL	
82C 45DPNSS1 SB/BL*	82C 45DPNSS1 SB/WH*	89C 45DPNSS1 AB/BL*		84C 45DPNSS1 SS/WH*	84C 45DPNSS1 SS/BL*	88C 45DPNSS1 BK/BL*	
82C SPN SB/BL*	82C SPN SB/WH*	89C SPN AB/BL*		84C SPN SS/WH*	84C SPN SS/BL*	88C SPN BK/BL*	
	82C FN SB	89C FN AB		84C FN SS		88C FN BK	
	82C P1X400			89C P1X400	84C P1X400	88C P1X400	
	82C P2X400			89C P2X400	84C P2X400	88C P2X400	
	82C P3X400			89C P3X400	84C P3X400	88C P3X400	
	82C P4X400			89C P4X400	84C P4X400	88C P4X400	
	82C P1X600			89C P1X600	84C P1X600	88C P1X600	
	82C P1X1000			89C P1X1000	84C P1X1000	88C P1X1000	
	82C P1X200VA	89C P1X200VA		84C P1X200VA		88C P1X200VA	
	82C P1X300VA	89C P1X300VA		84C P1X300VA		88C P1X300VA	
	82C BPS	89C BPS		84C BPS		88C BPS	
	82C BPD	89C BPD		84C BPD		88C BPD	

* To order these accessories with White Plastic Rocker inserts suffix with WH/WH e.g. 87C R21 WH/WH. To order with Black Plastic Rocker inserts suffix with BL/BL e.g. 87C R21 BL/BL.





exclusive design...

Of minimal depth and contemporary appearance, the all NEW Sheer CFX lends lustre to its surroundings. Patent CFX* concealed fixing system, affords seamless styling and sophistication.

exclusive finishes...

The finest materials and production standards are employed to produce a fashion conscious flat plate in a choice of six superb finishes.



exclusive choice...

The comprehensive range of accessories gives a limitless choice in meeting any project constraints a designer may be working to.

NEW

Sheer^{CFX}[®]



Other products available from the Hamilton Group

- Grid-It Grid Fix Accessories
- Hartland CFX Concealed Fixing (available shortly)
- Linea-Duo CFX Concealed Fixing (available shortly)
- Sheer Range (Box Fix)
- Linea Range Concealed Fixing
- Cheriton Range
- Edwardian, Georgian & Adam Ranges
- Woods & Bloomsbury Range
- Digital Mercury Lighting Controls
- Eurodata Range (Data & Communication Outlets)
- IP Weatherproof Switches and Sockets
- Floor Sockets

All products listed conform to current British or European standards and the product information is correct at the time of going to press.

All accessories are manufactured under an accredited BS EN ISO 9001: 2000 Quality System.

It is the policy of the company to continually improve products as part of our development programme. Therefore, we reserve the right to alter designs and dimensions without prior notice.

Illustrations and diagrams are reproduced within the limitations of reproduction and printing processes and are not binding.

Due to manufacturing processes we cannot guarantee an exact colour match and shadings of certain finishes.

Hamilton[®]
Litestat group

For further information please contact:

R. Hamilton & Co. Ltd., Quarry Industrial Estate, Mere, Wiltshire BA12 6LA, UK
Telephone: +44 (0)1747 860088 Facsimile: +44 (0)1747 861032
email: info@hamilton-litestat.com www.hamilton-litestat.com

