







KITCHEN & DISPLAY

A COLLECTION OF PRODUCT BROUGHT TOGETHER TO
COMPLEMENT CREATIVE DESIGN AROUND THE HOME,
BUT MORE SPECIFICALLY IN THE KITCHEN.

ENLUCE™





SWITCHED FLUORESECENT DISPLAY LIGHTS WITH ADJUSTABLE FROSTED GLASS. SUPPLIED WITH 1.8M POWER CABLE.





A EL-10028
 W (mm) 350 H (mm) 28
 P (mm) 85
 IP Rating IP20
 Wattage 1 x 8
 Lamp T5
  Included


B EL-10029
 W (mm) 575 H (mm) 28
 P (mm) 83
 IP Rating IP20
 Wattage 1 x 13
 Lamp T5
  Included



SURFACE MOUNTED SWITCHED LED DISPLAY LIGHTS. SUPPLIED WITH 1M POWER CABLE AND MOUNTING CLIPS.

C EL-10037
 W (mm) 252 H (mm) 31
 IP Rating IP20
 47 White LEDs
 Included
    Included

D EL-10038
 W (mm) 550 H (mm) 31
 IP Rating IP20
 121 White LEDs
 Included
    Included





LOW ENERGY 240V FLUORESCENT SURFACE MOUNTED SWITCHED DOWNLIGHT. SATIN CHROME FINISH. PREWIRED (1M). SUPPLIED WITH TERMINAL BLOCK, POWER/LINKING CABLE (1M) AND 9W LAMP.



A EL-10021
 H (mm) 85
 L (mm) 160
 W (mm) 112
 IP Rating IP20
 Wattage 1 x 9
 Lamp Holder GX53
 Included
 □ ▽ ▽ ▽ ▽ ▽




LED TRIANGLE SURFACE MOUNTED DISPLAY DOWNLIGHT WITH BEVELLED GLASS. SILVER GREY FINISH. PREWIRED (1M).

B EL-10018
 W (mm) 185 D (mm) 185
 P (mm) 62
 IP Rating IP20
 18 White LEDs
 Included
 □ ▽ ▽ ▽ ▽ ▽
 LED driver required -
 Enluce code EL-10019


C EL-10019 LED driver
 Prewired driver (mm) 57x40x20
 Connector block (mm)
 100x27x9
 1m power cable
 IP Rating IP20
 □ □ □ ▽ ▽ ▽ □
 For use with up to
 3 x EL-10018



B



3 LIGHT TOUCH SURFACE MOUNTED HALOGEN DISPLAY DOWNLIGHT KIT. PREWIRED (1M). SUPPLIED WITH TRANSFORMER, 1.8M POWER CABLE, TOUCH SENSOR SWITCH AND CONNECTOR BLOCK. SATIN CHROME FINISH.



D EL-10020
 H (mm) 42
 D (mm) 145 x 130 x 145
 P (mm) 130
 IP Rating IP20
 Wattage 3 x 20
 Lamp Holder G4
 Included
 □ □ □ ▽ ▽ ▽ □ ▽ ▽ ▽ □



ENLUCE™



ENLUCE™

LED DISPLAY DOWNLIGHTS THAT CAN BE FITTED RECESSED OR SURFACE MOUNTED. PREWIRED (1M EACH). 3 LIGHT KITS SUPPLIED COMPLETE WITH LED DRIVER (FOR UP TO 5 DOWNLIGHTS), 1M POWER CABLE AND CONNECTOR BLOCK. WHITE OR SATIN CHROME FINISHES.



A EL-10015-SC

D (mm) 70
P (mm) 22
IP Rating IP20
3 x 12 White LEDs
Included



C EL-10016-WH Add-on Unit

D (mm) 70
P (mm) 22
IP Rating IP20
12 White LEDs
Included



B EL-10014-WH

D (mm) 70
P (mm) 22
IP Rating IP20
3 x 12 White LEDs
Included



D EL-10017-SC Add-on Unit

D (mm) 70
P (mm) 22
IP Rating IP20
12 White LEDs
Included



Shown as recessed version



SURFACE MOUNTED 4 LIGHT LED DOWNLIGHT DISPLAY KIT. SUPPLIED PREWIRED (1M EACH) COMPLETE WITH WHITE LEDs, SELF ADHESIVE PADS, PLUG IN LED DRIVER, 1.5M POWER CABLE AND CONNECTOR BLOCK.

E EL-10031

D (mm) 59
P (mm) 7
IP Rating IP20
4 x 9 White LEDs
Included



ENLUCE™

DISPLAY DOWNLIGHTS THAT CAN BE FITTED RECESSED OR SURFACE MOUNTED. PREWIRED (1M EACH). 3 LIGHT KITS SUPPLIED COMPLETE WITH TRANSFORMER (FOR UP TO 5 DOWNLIGHTS), 1M POWER CABLE AND CONNECTOR BLOCK. WHITE OR SATIN CHROME FINISHES. EL-10012-WH AND EL-10013-SC SUPPLIED AS ADD-ON UNITS.

A EL-10010-WH

B EL-10011-SC

D (mm) 75
P (mm) 27
IP Rating IP20
Wattage 3 x 20
Lamp Holder G4
Included



C EL-10012-WH Add-on Unit


D EL-10013-SC Add-on Unit

D (mm) 75
P (mm) 27
IP Rating IP20
Wattage 1 x 20
Lamp Holder G4
Included



Shown as recessed version





4 x 300MM SELF ADHESIVE STRIP LIGHT KITS. SUPPLIED WITH CONNECTORS, GLUE, PLUG IN LED DRIVER AND 1.5M POWER CABLE. WHITE OR BLUE LEDs.


A EL-10032

W (mm) 300 H (mm) 10
IP Rating IP20
4 x 12 White LEDs
Included



B EL-10033

W (mm) 300 H (mm) 10
IP Rating IP20
4 x 12 Blue LEDs
Included





FROSTED GLASS SHELF WITH OPAL DIFFUSER AND SWITCH. COMPLETE WITH FLUORESCENT LAMP.

C EL-10027

W (mm) 453 H (mm) 47
P (mm) 155
IP Rating IP20
Wattage 1 x 8
Lamp T5
Included



C



SMALL LED RECESSED WALL/ PLINTH LIGHT. OPTIONAL PLAIN/ SLOTTED FACIA.

D EL-10030

W (mm) 70 H (mm) 70
P (mm) 50
IP Rating IP20
9 White LEDs
Included

